

## UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	. F	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/715,099		11/17/2003	Emil Vulcu	136-03	3268
27569	7590	03/02/2006		EXAM	INER
PAUL AN	D PAUL		GEHMAN, BRYON P		
2000 MARKET STREET SUITE 2900				ART UNIT	PAPER NUMBER
	PHILADELPHIA, PA 19103			3728	
				DATE MAILED: 03/02/200	6

Please find below and/or attached an Office communication concerning this application or proceeding.

		E
	Application No.	Applicant(s)
	10/715,099	VULCU ET AL.
Office Action Summary	Examiner	Art Unit
	Bryon P. Gehman	3728
The MAILING DATE of this communicateriod for Reply	ion appears on the cover sheet w	ith the correspondence address
A SHORTENED STATUTORY PERIOD FOR THE MAILING DATE OF THIS COMMUNICA  - Extensions of time may be available under the provisions of 31 after SIX (6) MONTHS from the mailing date of this communic  - If the period for reply specified above is less than thirty (30) da  - If NO period for reply is specified above, the maximum statuto  - Failure to reply within the set or extended period for reply will, Any reply received by the Office later than three months after the earned patent term adjustment. See 37 CFR 1.704(b).	TION. 7 CFR 1.136(a). In no event, however, may a lation. 195, a reply within the statutory minimum of thir y period will apply and will expire SIX (6) MON by statute, cause the application to become Al	reply be timely filed  rly (30) days will be considered timely.  NTHS from the mailing date of this communication.  BANDONED (35 U.S.C. § 133).
status		
1) Responsive to communication(s) filed o	n 07 February 2006.	
$\cdot = \cdot \cdot$	$\boxtimes$ This action is non-final.	
3)☐ Since this application is in condition for		ters, prosecution as to the merits is
closed in accordance with the practice t	under <i>Ex parte Quayle</i> , 1935 C.E	D. 11, 453 O.G. 213.
Disposition of Claims		
4)⊠ Claim(s) <u>1,15 and 17-23</u> is/are pending	in the application.	
4a) Of the above claim(s) is/are v		
5) Claim(s) is/are allowed.		
6)⊠ Claim(s) <u>1,15 and 17-23</u> is/are rejected		
7) Claim(s) is/are objected to.		
8) Claim(s) are subject to restriction	n and/or election requirement.	
application Papers		
9) The specification is objected to by the E	xaminer.	
10) The drawing(s) filed on is/are: a)	☐ accepted or b)☐ objected to	by the Examiner.
Applicant may not request that any objection	n to the drawing(s) be held in abeya	nce. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the	e correction is required if the drawing	g(s) is objected to. See 37 CFR 1.121(d).
11)☐ The oath or declaration is objected to by	the Examiner. Note the attache	d Office Action or form PTO-152.
Priority under 35 U.S.C. § 119		
12)☐ Acknowledgment is made of a claim for	foreign priority under 35 U.S.C.	§ 119(a)-(d) or (f).
a) ☐ All b) ☐ Some * c) ☐ None of:		
1. Certified copies of the priority do		
	cuments have been received in A	
2. Certified copies of the priority do		
3. Copies of the certified copies of t	he priority documents have beer	n received in this National Stage
	he priority documents have beer Bureau (PCT Rule 17.2(a)).	

Paper No(s)/Mail Date \_\_\_\_\_\_
U.S. Patent and Trademark Office

1) Notice of References Cited (PTO-892)

2) Notice of Draftsperson's Patent Drawing Review (PTO-948)

3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)

4) Interview Summary (PTO-413)

6) Other: \_\_\_\_.

Paper No(s)/Mail Date. \_\_

5) Notice of Informal Patent Application (PTO-152)

Art Unit: 3728

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 2. Claim 1 is rejected under 35 U.S.C. 102(b) as being anticipated by Thaler (4,700,729). Thaler discloses a storage container (10) for receiving and storing a contact lens comprising an upper chamber (inside 12) having an opening (at 14) through which the contact lens can be placed into the chamber, the upper chamber having a bottom portion having at least one passageway (32) permitting liquid to flow out of the upper chamber, a contact lens supporting device (20-27) fixed (via element 26) on the bottom portion of the upper chamber, the device being a dome-shaped structure (21 or 23) maintaining the contact lens on the bottom portion of the upper chamber while the contact lens is stored in the container and inherently permitting inversion of a contact lens when the contact lens is received in the storage container, and a lower chamber (18; inside 18) for containing liquid and having a deformable portion which allows liquid to flow through the passageways in the bottom portion of the upper chamber to the lower chamber such that the contact lens supporting device is free of liquid.
- 3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

Art Unit: 3728

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claim 1 is rejected under 35 U.S.C. 103(a) as being unpatentable over Sturgeon 4. (3,695,280) in view of Thaler (4,700,729). Sturgeon discloses a storage container for receiving and storing a contact lens comprising an upper chamber (inside 6) having an opening (at 18) through which the contact lens can be placed into the chamber, the upper chamber having a bottom portion having at least one passageway (34) permitting liquid to flow out of the upper chamber, a contact lens supporting device (32) fixed on the bottom portion of the upper chamber, the device being a dome-shaped structure maintaining the contact lens on the bottom portion of the upper chamber while the contact lens is stored in the container and inherently permitting inversion of a contact lens when the contact lens is received in the storage container, and a lower chamber (36) for containing liquid which allows liquid to flow through the passageways in the bottom portion of the upper chamber to the lower chamber. Thaler has been described above and discloses a storage container (10) for receiving and storing a contact lens comprising an upper chamber, the upper chamber having a bottom portion having at least one passageway (32) permitting liquid to flow out of the upper chamber, and a lower chamber (inside 18) for containing liquid and having a deformable portion which allows liquid to flow through the passageways in the bottom portion of the upper chamber to the lower chamber such that the contact lens supporting device is free of liquid. To modify the lower chamber of Sturgeon by replacing the fixed lower chamber

Art Unit: 3728

with a deformable lower chamber as disclosed by Thaler would have been obvious in order to provide a pump to provide a cleaning action to the contact lens contained in the storage container, as disclosed by Thaler.

Claim 1 is rejected under 35 U.S.C. 103(a) as being unpatentable over Willis 5. (3,113,579) in view of Sturgeon. Willis discloses a storage container for receiving and storing a contact lens comprising an upper chamber (above 17) having an opening (at 12) through which the contact lens can be placed into the chamber, the upper chamber having a bottom portion having at least one passageway (26) permitting liquid to flow out of the upper chamber, a contact lens supporting device (11) fixed on the bottom portion of the upper chamber by engagement with inner edge portion (16), the device being a structure (28) maintaining the contact lens on the bottom portion of the upper chamber while the contact lens is stored in the container and inherently permitting inversion of a contact lens when the contact lens is received in the storage container, and a lower chamber (18) for containing liquid and having a deformable portion which allows liquid to flow through the passageways in the bottom portion of the upper chamber to the lower chamber such that the contact lens supporting device is free of liquid. Sturgeon discloses dome-shaped structure (32) to retain a contact lens in position thereon. To modify the contact lens maintaining structure of Willis to comprise a dome-shaped structure as taught by Sturgeon would have been obvious in order to better receive the dome-shaped contact lens.

Application/Control Number: 10/715,099

Art Unit: 3728

Claims 15 and 17-22 are rejected under 35 U.S.C. 103(a) as being unpatentable 6. over Thaler and Kobler (3,129,971). Claims 15 and 17-22 are rejected under 35 U.S.C. 103(a) as being unpatentable over Sturgeon in view of Thaler, and Kobler. Claims 15 and 17-22 are rejected under 35 U.S.C. 103(a) as being unpatentable over Willis in view of Sturgeon, and Kobler. Thaler individually and the combinations of Sturgeon with Thaler, and Willis with Sturgeon have been discussed in detail above. Kobler discloses an inserting and handling device (11) comprising a main body having an opening and an axial channel extending to a first end of the main body, and a deformable portion (12) which discharges air from the axial channel and upon application of a lesser force permits a vacuum to be formed in the axial channel, a suction cup (14) located at the first end of the main body which leads to the axial channel of the main body, and a vacuum bleed hole (18) on the axial channel, the vacuum bleed hole located such that a user holding the device can seal the vacuum bleed hole on the main body when the main body is deformed and a vacuum is formed permitting the suction cup to grasp an object and release the object when the vacuum bleed hole is unsealed. To provide the individual container and inserting and handling device together in combination would have been obvious, as both are disclosed to be employed with contact lens.

As to claims 17-19, Thaler discloses the deformable portion as an accordionshaped pleated bellows.

As to claim 20, Thaler and Sturgeon each disclose a dome-shaped structure.

Art Unit: 3728

7. Claims 15 and 17-22 are rejected under 35 U.S.C. 103(a) as being unpatentable over Thaler and Cointment (4,238,134) in view of Kobler. Claims 15 and 17-22 are rejected under 35 U.S.C. 103(a) as being unpatentable over Sturgeon in view of Thaler, and Cointment in view of Kobler. Claims 15 and 17-22 are rejected under 35 U.S.C. 103(a) as being unpatentable over Willis in view of Sturgeon, and Cointment in view of Kobler. Thaler, Sturgeon in view of Thaler and Willis in view of Sturgeon, as discussed previously, each disclose a storage container as explained in detail above. Cointment and Kobler each pertain to an inserting and handling device. Cointment discloses an inserting and handling device comprising a main body having a first end (at 10 and 11) having a first opening, a second end (at 3) having a second opening and an axial channel (18) extending from the first opening to the second opening, and a bulb (3) over the second opening on the second end of the main body which discharges air from the axial channel and upon application of a lesser force permits a vacuum to be formed in the axial channel, a suction cup (2) located at the first end of the hollow body which leads to the axial channel of the main body. Kobler discloses a similar device including a vacuum bleed hole (18) on the axial channel of the main body in communication with the axial channel, the vacuum bleed hole located such that a user holding the device can seal the vacuum bleed hole on the axial channel when the hollow body is deformed and a vacuum is formed permitting the suction cup to grasp an object and release the object when the vacuum bleed hole is unsealed. To provide the individual container and device together in combination would have been obvious, as both are disclosed to be employed with contact lens.

Art Unit: 3728

As to claims 17-19, Thaler discloses the deformable portion as an accordionshaped pleated bellows.

As to claim 20, Thaler and Sturgeon each disclose a dome-shaped structure.

- 8. Claim 23 is rejected under 35 U.S.C. 103(a) as being unpatentable over the art as applied to claim 22 above, and further in view of Raimondi (5,941,583). Raimondi disclose a contact lens handling device including a removable cover (56) To employ a cover to modify the handling device of the combination would have been obvious in view of Raimondi in order to protect the device during non-use.
- 9. Applicant's arguments filed February 7, 2006 have been fully considered but they are not persuasive with respect to the new grounds of rejection. It is maintained that the dome-shaped structure of Thaler and Sturgeon each will inherently permit inversion of a contact lens received in the storage container on the dome-shaped structure. The examiner is a wearer of contact lens and lenses are easily inverted during cleaning handling such that the dome-shaped structure of Thaler or Sturgeon can and would receive contact lenses in normal or inverted condition interchangeably, intentionally or unintentionally. The contact lens does not comprise part of the structure of the claimed storage container or of the storage container in the combination.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Bryon P. Gehman whose telephone number is (571)

Buya P. Sel

272-4555. The examiner can normally be reached on Monday through Wednesday from 5:30am to 6:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mickey Yu, can be reached on (571) 272-4562. The fax phone number for the organization where this application or proceeding is assigned is (571) 273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

> Bryon P. Gehman Primary Examiner Art Unit 3728

**BPG**